

AIR CONDITIONERS

Split Type Air Conditioner Reciprocating (Piston Type) - Cool Only

Split AC
T3, Piston Series



Indoor Unit E1



Indoor Unit E2



Indoor Unit E3

Product Features

- T-3 Tropicalized Compressor • Grooved copper tubing • High Efficiency
- **Piston Compressor** • Remote control • Super Cool • Low Noise
- Powered by KK compressor Made In Thailand
- E3 Model made in India with US technology compressor

• ضاغط هواء استوائي (ت.٣) • مواسير نحاس محززة • كفاءة عالية
 • **ضاغط هواء مكبس** • جهاز تحكم عن بعد • غاية البرودة • قليل الضوضاء
 • يعمل بقوة ضاغط كي كي مصنوع في (تايلند)
 • موديل E٣ صنع في الهند مع ضاغط بتقنية أمريكية



Automatic Restart Function



3D Swinging Pattern Air Delivery Technology



Remote Control



Independent De-humidification




Silent Operation



Grooved Copper Tubing - 30% Higher Cooling



Sleep Mode Operation



Indoor unit will vary as per market.
Below specs are indicative for E2 model.

Product Range & Specifications

Model	NSAC36138 E1/E2/E3	NSAC30138 E1/E2/E3	NSAC24138 E1/E2/E3	NSAC18138 E1/E2/E3
Origin	CHINA/CHINA/INDIA	CHINA/CHINA/INDIA	CHINA/CHINA/INDIA	CHINA/CHINA/INDIA
Range/Function	3 T/Cool Only	2.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	PISTON-KK/EMERSON	PISTON-KK/EMERSON	PISTON-KK/EMERSON	PISTON-KK/EMERSON
Climate/Type	Tropical T3	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R22	R22	R22	R22
Remote/Pipe Kit	Yes/Optional	Yes/Optional	Yes/Optional	Yes/Optional
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	E2-1300 X 332 X 245 1515 X 428 X 345	E2-1080 X 302 X 220 1275 X 392 X 318	E2-1000 X 300 X 216 1208 X 393 X 318	E2-968 X 362 X 280 983 X 377 X 300
Dimension Outdoor (MM) Product/Pack (L X D X H)	E2-900 X 330 X 835 1030 X 440 X 960	E2-870 X 310 X 700 990 X 410 X 780	E2-870 X 310 X 700 990 X 410 X 780	E2-870 X 310 X 700 980 X 400 X 660
Loading/40'HQ	100	144	153	166

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Split Type Air Conditioner Rotary Compressor - Cool Only


Split AC
T3, Rotary Series



Indoor Unit N4



Indoor Unit N5



Indoor Unit N6

Product Features

- T-3 Tropicalized Compressor • Grooved copper tubing • High Efficiency
- **Rotary Compressor** • Remote control • Super Cool • Low Noise

• ضاغط هواء استوائي (ت.3) • مواسير نحاس محززة • كفاءة عالية
• **ضاغط هواء حلزوني** • جهاز تحكم عن بعد • غاية البرودة • قليل الضوضاء



Automatic Restart Function



3D Swinging Pattern Air Delivery Technology



Remote Control



Independent De-humidification




Silent Operation



Grooved Copper Tubing - 30% Higher Cooling



Sleep Mode Operation



Indoor unit will vary as per market.
Below specs are indicative for N4 model.

Product Range & Specifications

Model	SAC30131 N4/N5/N6	SAC24131 N4/N5/N6	NSAC18131 N4/N5/N6
Origin	CHINA/INDIA/CHINA	CHINA/INDIA/CHINA	CHINA/INDIA/CHINA
Range/Function	3 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	ROTARY/(HIGHLY/GMCC)	ROTARY/(HIGHLY/GMCC)	ROTARY/(HIGHLY/GMCC)
Climate/Type	Tropical T3	Tropical T3	Tropical T3
Refrigerant	R22	R22	R22
Remote/Pipe Kit	Yes/Optional	Yes/Optional	Yes/Optional
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	N4-900 X 292 X 215 983 X 377 X 300	N4-900 X 292 X 215 983 X 377 X 300	N4-900 X 292 X 215 983 X 377 X 300
Dimension Outdoor (MM) Product/Pack (L X D X H)	N4-850 X 295 X 605 995 X 415 X 690	N4-850 X 295 X 605 995 X 415 X 690	N4-850 X 295 X 605 995 X 415 X 690
Loading/40'HQ	144	153	166

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Split Type Air Conditioner T1, Rotary Compressor - Cool Only

Split AC
T1, Rotary Series



Indoor Unit C



Indoor Unit N1

Product Features

- T-1 Tropicalized Compressor • Grooved copper tubing • High Efficiency
- **Rotary Compressor** • Remote control • Super Cool • Low Noise
- With 3 meter Pipe Kit

• ضاغط هواء استوائي (ت.ا) • مواسير نحاس محززة • كفاءة عالية
• **ضاغط هواء حلزوني** • جهاز تحكم عن بعد • غاية البرودة • قليل الضوضاء
• مع مجموعة أنابيب بطول ٣ متر.



Automatic
Restart
Function



3D Swinging
Pattern Air
Delivery Technology



Remote
Control



Independent
De-humidification




Silent
Operation



Grooved Copper
Tubing - 30%
Higher Cooling



Sleep Mode
Operation



Indoor unit will vary as per market.
Below specs are indicative for N1 model.

Product Range & Specifications

Model	NSAC2415C/N1	NSAC1815C/N1	NSAC1215C/N1	NSAC0915C/N1
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T/Cool Only	1.5 T/Cool Only	1 T/Cool Only	0.75 T/Cool Only
Compressor Type/Make	ROTARY/GMCC	ROTARY/GMCC	ROTARY/GMCC	ROTARY/GMCC
Climate/Type	Tropical T1	Tropical T1	Tropical T1	Tropical T1
Refrigerant	R22/R404	R22/R404	R22/R404	R22/R404
Remote/Pipe Kit	Yes/Optional	Yes/Optional	Yes/Optional	Yes/Optional
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM)	1033 X 313 X 202	900 X 280 X 202	770 X 240 X 180	710 X 240 X 180
Product/Pack (L X D X H)	1103 X 400 X 300	985 X 365 X 298	855 X 305 X 255	805 X 305 X 255
Dimension Outdoor (MM)	820 X 300 X 605	760 X 256 X 552	700 X 256 X 551	700 X 256 X 551
Product/Pack (L X D X H)	950 X 426 X 640	863 X 361 X 590	803 X 361 X 590	803 X 361 X 590
Loading/40'HQ	160	220	270	310

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Split Type Air Conditioner T1, Rotary Compressor - Heat & Cool

Split AC
T1, Rotary Series



Indoor Unit

Product Features

- T-1 Tropicalized Compressor • Grooved copper tubing • High Efficiency
- **Rotary Compressor** • Remote control • Super Cool • Low Noise
- With 3 meter Pipe Kit • Heat & Cool Function

• ضاغط هواء استوائي (ت.ا) • مواسير نحاس محززة • كفاءة عالية
• **ضاغط هواء حلزوني** • جهاز تحكم عن بعد • غاية البرودة • قليل الضوضاء
• مع مجموعة أنابيب بطول 3 متر.



Automatic Restart Function



3D Swinging Pattern Air Delivery Technology



Remote Control



Independent De-humidification




Silent Operation



Grooved Copper Tubing - 30% Higher Cooling



Sleep Mode Operation



Indoor unit will vary as per market.
Below specs are indicative for P2 model.

Product Range & Specifications

Model	NSAC24132HCP2	NSAC18132HCP2	NSAC12132HCP2	NSAC09132HCP2
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T/Heat & Cool	1.5 T/Heat & Cool	1 T/Heat & Cool	0.75 T/Heat & Cool
Compressor Type/Make	Rotary/ GMCC/RECHI/HIGHLY	Rotary/ GMCC/RECHI/HIGHLY	Rotary/ GMCC/RECHI/HIGHLY	Rotary/ GMCC/RECHI/HIGHLY
Climate/Type	Tropical T1	Tropical T1	Tropical T1	Tropical T1
Cooling/Refrigerant	R404/R22	R404/R22	R404/R22	R404/R22
Remote/Pipe Kit	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1033 X 313 X 202 1103 X 400 X 300	900 X 280 X 202 985 X 365 X 298	770 X 240 X 180 855 X 305 X 255	710 X 240 X 180 805 X 305 X 255
Dimension Outdoor (MM) Product/Pack (L X D X H)	820 X 300 X 605 950 X 426 X 640	760 X 256 X 552 863 X 361 X 590	700 X 256 X 551 803 X 361 X 590	700 X 256 X 551 803 X 361 X 590
Loading/40' HQ	160	220	270	310

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Split Type Air Conditioner T1, Inverter Series - Cool Only

Split AC
T1, Inverter Series



Indoor Unit

Product Features

- Tropicalized Compressor • Grooved copper tubing • High Efficiency
- **Rotary Compressor** • Remote control • Super Cool • Low Noise
- T1 with 3 meter Pipe Kit • With inverter

• ضاغط هواء استوائي • مواسير نحاس محززة • كفاءة عالية
• **ضاغط هواء حلزوني** • جهاز تحكم عن بعد • غاية البرودة • قليل الضوضاء
• مع مجموعة أنابيب بطول ٣ متر. • مع عاكس كهرباء.



Automatic
Restart
Function



3D Swinging
Pattern Air
Delivery Technology



Remote
Control



Independent
De-humidification




Silent
Operation



Grooved Copper
Tubing - 30%
Higher Cooling



Sleep Mode
Operation



Indoor unit will vary as per market.
Below specs are indicative for PI model.

Product Range & Specifications

Model	NSAC2402CPI	NSAC1802CPI	NSAC1202CPI	NSAC0902CPI
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T /Cool Only	1.5 T /Cool Only	1 T /Cool Only	0.75 T /Cool Only
Compressor Type/Make	Inverter/GMCC/Equivalent	Inverter/GMCC/Equivalent	Inverter/GMCC/Equivalent	Inverter/GMCC/Equivalent
Climate/Type	Tropical, T1/T3	Tropical, T1/T3	Tropical, T1/T3	Tropical, T1/T3
Refrigerant	R410/R22	R410/R22	R410/R22	R410/R22
Remote/Pipe Kit	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM) Product/Pack (L X D X H)	1033 X 313 X 202 1103 X 400 X 300	900 X 280 X 202 985 X 365 X 298	770 X 240 X 180 855 X 305 X 255	710 X 240 X 180 805 X 305 X 255
Dimension Outdoor (MM) Product/Pack (L X D X H)	820 X 300 X 605 950 X 426 X 640	760 X 256 X 552 863 X 361 X 590	700 X 256 X 551 803 X 361 X 590	700 X 256 X 551 803 X 361 X 590
Loading/40'HQ	145	200	240	270

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Split Type Air Conditioner T1, Smart Inverter Series - Heat & Cool

Split AC
T1, Smart Inverter Series



Indoor Unit

Product Features

- Tropicalized Compressor • Grooved copper tubing • High Efficiency
- **Rotary Compressor** • Remote control • Super Cool • Low Noise
- With 3 meter Pipe Kit • With Inverter

• ضاغط هواء استوائي • مواسير نحاس محززة • كفاءة عالية
• **ضاغط هواء حلزوني** • جهاز تحكم عن بعد • غاية البرودة • قليل الضوضاء
• مع مجموعة أنابيب بطول ٣ متر.



Automatic Restart Function



3D Swinging Pattern Air Delivery Technology



Remote Control



Independent De-humidification




Silent Operation



Grooved Copper Tubing - 30% Higher Cooling



Sleep Mode Operation



Indoor unit will vary as per market.
Below specs are indicative for N1 model.

Product Range & Specifications

Model	NSAC240EHCIN1	NSAC180EHCIN1	NSAC120EHCIN1	NSAC090EHCIN1
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T /Heat & Cool	1.5 T /Heat & Cool	1 T/Heat & Cool	0.75 T /Heat & Cool
Compressor Type/Make	Inverter/GMCC/Equivalent	Inverter/GMCC/Equivalent	Inverter/GMCC/Equivalent	Inverter/GMCC/Equivalent
Climate/Type	Tropical, T1	Tropical, T1	Tropical, T1	Tropical, T1
Refrigerant	R410/R22	R410/R22	R410/R22	R410/R22
Remote/Pipe Kit	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM)	1033 X 313 X 202	900 X 280 X 202	770 X 240 X 180	710 X 240 X 180
Product/Pack (L X D X H)	1103 X 400 X 300	985 X 365 X 298	855 X 305 X 255	805 X 305 X 255
Dimension Outdoor (MM)	820 X 300 X 605	760 X 256 X 552	700 X 256 X 551	700 X 256 X 551
Product/Pack (L X D X H)	950 X 426 X 640	863 X 361 X 590	803 X 361 X 590	803 X 361 X 590
Loading/40'HQ	145	200	240	270

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Split Type Air Conditioner T1, Premium Inverter Series - Heat & Cool

Split AC
T1, Premium A++ Inverter Series



Indoor Unit



Indoor Unit N1

Product Features

- Tropicalized Compressor • Grooved copper tubing • High Efficiency
- **Rotary Compressor** • Remote control • Super Cool • Low Noise
- With 3 meter Pipe Kit • **With A++ Inverter**

• ضغط هواء استوائي • مواسير نحاس محززة • كفاءة عالية
• **ضاغط هواء حلزوني** • جهاز تحكم عن بعد • غاية البرودة • قليل الضوضاء
• مع مجموعة أنابيب بطول 3 متر. • مع محول من فئة A++



Automatic
Restart
Function



3D Swinging
Pattern Air
Delivery Technology



Remote
Control



Independent
De-humidification




Silent
Operation



Grooved Copper
Tubing - 30%
Higher Cooling



Sleep Mode
Operation



Indoor unit will vary as per market.
Below specs are indicative for N1 model.

Product Range & Specifications

Model	NSAC2401HCN1	NSAC1801HCN1	NSAC1201HCN1	NSAC0901HCN1
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	2 T /Heat & Cool	1.5 T /Heat & Cool	1 T /Heat & Cool	0.75 T /Heat & Cool
Compressor Type/Make	Inverter/GMCC	Inverter/GMCC/HIGHLY	Inverter/GMCC/RECHI	Inverter/GMCC/RECHI
Climate/Type	Tropical, T1	Tropical, T1	Tropical, T1	Tropical, T1
Refrigerant	R410/R22	R410/R22	R410/R22	R410/R22
Remote/Pipe Kit	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM)	1033 X 313 X 202	900 X 280 X 202	770 X 240 X 180	710 X 240 X 180
Product/Pack (L X D X H)	1103 X 400 X 300	985 X 365 X 298	855 X 305 X 255	805 X 305 X 255
Dimension Outdoor (MM)	820 X 300 X 605	760 X 256 X 552	700 X 256 X 551	700 X 256 X 551
Product/Pack (L X D X H)	950 X 426 X 640	863 X 361 X 590	803 X 361 X 590	803 X 361 X 590
Loading/40'HQ	145	200	240	270

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Window Type Air Conditioner T3, Piston Series - Cool Only

Window AC
T3, Piston Series



Product Features

- **Piston Compressor** • T-3 Compressor
- Grooved copper tubing • KK Thailand Compressor
- Low Noise • Robust & Sturdy Design

- **ضاغط هواء مكبس** • ضاغط هو (ت.3)
- مواسير نحاس محززة • ضاغط كى كى تايلندي
- قليل الضوضاء • تصميم عصري وقوي



Piston
Compressor



Low
Noise



Grooved Copper
Tubing

Product Range & Specifications

Model	NWAC24038E1	NWAC18038E1	NWAC24038E	NWAC18038E
Origin	INDIA	INDIA	CHINA	CHINA
Range/Function	2 T/Cool Only	1.5 T/Cool Only	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	Rotary/ Emerson	Rotary/ Emerson	Rotary/KK Thailand	Rotary/KK Thailand
Climate/Type	Tropical,T3	Tropical,T3	Tropical,T3	Tropical,T3
Refrigerant	R22	R22	R22	R22
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM)	660 X 660 X 428	660 X 660 X 428	660 X 430 X 680	660 X 430 X 680
Product/Pack (L X D X H)	775 X 735 X 470	775 X 735 X 470	730 X 463 X 785	730 X 463 X 785
Loading/40'HQ	223	223	220	220

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Window Type Air Conditioner T3, Rotary Series - Cool Only

Window AC
T3, Rotary Series



Product Features

- Rotary Compressor • T-3 Compressor
- Grooved copper tubing • Low Noise • Eco grill design
- Optimised Air flow

- ضاغط هواء حلزوني • ضاغط هو (ت.ت)
- مواسير نحاس محززة • قليل الضوضاء
- تصميم مشواة عصرية • تدفق هواء مثالي



Rotary
Compressor



Low
Noise



Grooved Copper
Tubing

Product Range & Specifications

Model	NWAC24031N4	NWAC18031N4/N5
Origin	CHINA	CHINA
Range/Function	2 T/Cool Only	1.5 T/Cool Only
Compressor Type/Make	Rotary/Hitachi/Equivalent	Rotary/Hitachi/GMCC
Climate/Type	Tropical, T3	Tropical, T3
Refrigerant	R22	R22
Voltage, Frequency, Phase	220-240V/50Hz/1 Ph	220-240V/50Hz/1 Ph
Dimension Indoor (MM)	660 X 435 X 690	660 X 435 X 690
Product/Pack (L X D X H)	740 X 512 X 770	740 X 512 X 770
Loading/40'HQ	235	235

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR CONDITIONERS

Window Type Air Conditioner T1, Rotary Series - Cool Only

Window AC
T1, Rotary Series



Product Features

- Rotary Compressor • T-1 Compressor
- Grooved copper tubing • Low Noise

- ضاغط هواء حلزوني • ضاغط هو (ت.ا.)
- مواسير نحاس محززة • قليل الضوضاء



Rotary
Compressor



Low
Noise



Grooved Copper
Tubing

Product Range & Specifications

Model	NWAC12031A	NWAC09031A	NWAC07031A	NWAC05031A
Origin	CHINA	CHINA	CHINA	CHINA
Range/Function	1 T/Cool Only	0.75 T/Cool Only	0.6 T/Cool Only	0.4 T/Cool Only
Compressor Type/Make	Rotary/Hitachi/Equivalent	Rotary/Hitachi/Equivalent	Rotary/Hitachi/Equivalent	Rotary/Hitachi/Equivalent
Climate/Type	Tropical,T1	Tropical,T1	Tropical,T1	Tropical,T1
Refrigerant	R22	R22	R22	R22
Voltage, Frequency, Phase	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph	220-240V/50Hz/1Ph
Dimension Indoor (MM)	610 X 385 X 536	482 X 340 X 510	482 X 340 X 510	242 X 340 X 450
Product/Pack (L X D X H)	695 X 428 X 580	560 X 380 X 560	560 X 380 X 560	262 X 360 X 490
Loading/40'HQ	400	580	580	1080

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.