



NAC1048  
Legend Series

## Product Features

- 15 litre capacity • 3 in 1 function: Air cooler, humidifier & fan
- Honeycomb cooling media for optimum performance
- Up to 7.5 hours timer • Oscillating louvers
- Mounted with castors for easy mobility
- Full function remote control
- 4 speeds: high, medium, low and sleep

- سعة 15 لتر • 3 وظائف في واحد: مبرد هواء ومرطب ومنقي ومروحة
- وسائط تبريد سداسية لتحقيق أفضل أداء
- تشغيل حتى 7,5 ساعة • لوفرات تذبذب
- مجهز بعجلات لسهولة الحركة
- جهاز تحكم عن بعد بوظائف كاملة
- 4 سرعات: مرتفع ومتوسط ومنخفض ونوع



Remote Control



Silent Operation



Up to 7 hrs Timer



4 Speeds

## Product Range & Specifications

Model	NAC1048
Origin	CHINA
Tank Capacity/Refill Hours	15 Litre
Water Level Indicator	Yes
Area Coverage/Air Flow	350m <sup>3</sup> /hr
Pump/Type	Yes/Submersible
Remote/Speed	Yes/3 High –Med-Low
Cooling Media	Honeycomb Cooling Media and Carbon-dust filter
Voltage, Frequency, Phase	220-240V, 50/60 Hz, 1 Phase
Dimension (MM)	391 X 371 X 686
Product/Pack (L X D X H)	420 X 400 X 715
Loading/40'HQ	522

\*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.



NAC1048N1  
Smart Series

### Product Features

- All in 1 including cooling, ventilation, humidification & purification
- High performance Honey Comb cooling pad
- Water & Electricity is completely separated which is completely attributed to its vacuum pump • Large Air throw & low noise
- Long distance remote control • Three speed air flow, four way air deflection, 3 wind speed, auto vertical louvre
- 0.5-7.5 hours off timer • Side water filling, castors for mobility

- كل الميزات بما فيها التبريد والتهوية والرطوبة والتنقية • أداء عال لسطح تبريد من صنع هوني كومب • الماء والكهرباء مفصولان تماماً وهو أمر يعزى تماماً إلى مضخة المكثفة الكهربائية
- عزه هواء خارج قوي وضجيج منخفض • تحكم عن بعد طويل الأمد • تدفق هواء بثلاث سرعات، أربع طرق لإخراج الهواء، ٣ سرعات للهواء، عزه عمودي أو توماتيكي • ٠,٥-٧,٥ ساعات على المؤقت
- ملء جانبي للماء، عجلات لسهولة الحركة



Remote Control



Silent Operation



Up to 7.5 hrs Timer



3 Speeds

### Product Range & Specifications

Model	NAC1048N1
Origin	CHINA
Tank Capacity/Refill Hours	6.5 Litre
Water Level Indicator	Yes
Area Coverage/Air Flow	510m <sup>3</sup> /hr
Pump/Type	Yes/Vacuum Pump Technology
Remote/Speed	Yes/3 High –Med-Low
Cooling Media	Honeycomb Cooling Media and Carbon-dust filter
Voltage, Frequency, Phase	220-240V, 50/60 Hz, 1 Phase
Dimension (MM)	360 X 275 X 703
Product/Pack (L X D X H)	410 X 320 X 730
Loading/40'HQ	690

\*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.



## Product Range & Specifications

Model	NAC 2059	NAC 2050	NAC 2043
Water Level Capacity In Ltrs	53 Ltrs	48 Ltrs	36 Ltrs
Full Tank Capacity In Ltrs	59 Ltrs	50 Ltrs	43 Ltrs
Motor Power Watts rated	190W	230W	190W
Voltage Need	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Make of Motor & Shaft Material	Marathan Motor/Condor	Marathan Motor/Condor	Marathan Motor/Condor
Body Material	ABS & PP	ABS	ABS & PP
Tank Material/Litre Capacity	PP - 58 Litre	Full ABS	PP - 43 Litre
Nett Weight and Gross Weight of Product (Kgs)	Net - 14 Kgs/Gross - 16Kgs	Net - 13 Kgs/Gross - 15Kgs	Net - 12 Kgs/Gross - 14Kgs
Length of Power Cable	1.8 Metre	1.5 Metre outside body	1.8 Metre
Air delivery ( in M3 / Hr)	2300 M3/Hr	2700 M3/Hr	2300 M3/Hr
Air throw distance (in feet)	35 Ft	45 Ft	35 Ft
Cooling Area (Sq.Ft)	400 sq.ft	300 sq.ft	400 sq.ft
Air deflection	4 Way	4 Way	4 Way
Louver Movement	Auto	Vertical Motorised	Auto
Speed Control	3 Speed	3 Speed	3 Speed
Speed Control	Manual	Manual	Manual
Water level Indicator	Yes	Yes	Yes
Cooling Medium	Honeycomb	Honeycomb	Honeycomb
Portability	Castors for Portability	Trolley	Castors for Portability
Dimensions (MM)	438 X 410 X 1392	530 X 640 X 550	438 X 410 X 1192
Product/Pack (L X D X H)	460 X 430 X 1450	550 X 670 X 590	460 X 430 X 1250
Loading/40'HQ	180	225	260

\*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.



## Product Range & Specifications

Model	NAC 2035	NAC 2034	NAC 2024
Water Level Capacity In Ltrs	33 Ltrs	34 Ltrs	21 Ltrs
Full Tank Capacity In Ltrs	35 Ltrs	36 Ltrs	24 Ltrs
Motor Power Watts rated	350W	130W	190W
Voltage Need	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Make of Motor & Shaft Material	Marathan Motor/Condor	Marathan Motor/Condor	Marathan Motor/Condor
Body Material	ABS	PP	ABS & PP
Tank Material/Litre Capacity	Full ABS	PP - 34 Litre	PP - 22 Litre
Nett Weight and Gross Weight of Product (kgs)	Net - 16 Kgs/Gross - 18Kgs	Net - 10 Kgs/Gross - 12Kgs	Net - 10 Kgs/Gross - 12Kgs
Length of Power Cable	1.5 Metre outside body	1.8 Metre	1.8 Metre
Air delivery ( in M3 / Hr)	2700 M3/Hr	1300 M3/Hr	2300 M3/Hr
Air throw distance (in feet)	40 Ft	20 Ft	35 Ft
Cooling Area (Sq.Ft)	400 sq.ft	250 sq.ft	400 sq.ft
Air deflection	4 Way	4 Way	4 Way
Louver Movement	Vertical Motorised	Auto	Auto
Speed Control	3 Speed	3 Speed	3 Speed
Speed Control	Manual	Manual	Manual
Water level Indicator	Yes	Yes	Yes
Cooling Medium	Honeycomb	Honeycomb	Honeycomb
Portability	Castors for Portability	Castors for Portability	Castors for Portability
Dimensions (MM)	390 X 510 X 1030	441 X 319 X 948	438 X 410 X 987
Product/Pack (L X D X H)	410 X 530 X 1050	460 X 350 X 1050	460 X 430 X 1007
Loading/40'HQ	210	360	335

\*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.