



NCF340N5 - NCF440N6



NCF150N5 - NCF260N5

Product Features

- Internal Condenser • Tropicalized Compressor
- High Energy efficiency freezing system • Silent Operation
- Fast Cooling Technology • Internal condenser
- White Inner technology for Easy cleaning

- مكثف داخلي • ضاغط استوائي
- نظام تجميد بكفاءة طاقة عالية • تشغيل صامت
- تقنية تبريد سريع • مكثف داخلي أبيض
- تقنية بي سي إم الداخلية لتنظيف سهل



Product Range & Specifications

Control Panel & Handle will change as per market

Model	NCF440N6	NCF340N5	NCF260N5	NCF200N5	NCF150N5
Origin	CHINA	CHINA	CHINA	CHINA	CHINA
Interior/Doors	White/Foam Door	White/Foam Door	White/Foam Door	White/Foam Door	White/Foam Door
Color	White	White	White	White	White
Condenser	Internal	Internal	Internal	Internal	Internal
Refrigerant	R600a	R600a	R600a	R600a	R600a
Lock & Key/Castor/Handle	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Basket	Yes/2	Yes/2	Yes/2	Yes	Yes
Voltage, Frequency	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Dimension (MM)	1300 X 700 X 845	960 X 700 X 845	905 X 545 X 845	705 X 545 X 845	545 X 545 X 845
Product/Pack (L X D X H)	1325 X 730 X 885	985 X 730 X 885	930 X 575 X 885	730 X 575 X 885	570 X 575 X 885
Loading/40'HQ	75	105	149	193	248


*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.



With Castor



Stucco Embossed
Aluminium Inner



External Condenser

Product Features

- External Condenser • Tropicalized Compressor
- High Energy efficiency Cooling System • Silent Operation
- Fast Cooling Technology • Stucco Embossed Aluminium Inner

- مكثف خارجي • ضاغط استوائي
- نظام تبريد بكفاءة طاقة عالية • تشغيل صامت
- تقنية تبريد سريع • طبقة داخلية من الألمنيوم المزين بالنقوش



FAST
COOLING



R600A
REFRIGERANT



LOCK
& KEY



CASTOR



CFC
FREE

Product Range & Specifications

Control Panel & Handle will change as per market

Model	NCF442N5E	NCF342N5E	NCF262N5E	NCF202N5E	NCF152N5E
Origin	CHINA	CHINA	CHINA	CHINA	CHINA
Interior/Doors	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam
Color	White	White	White	White	White
Condenser	External	External	External	External	External
Refrigerant	R600a	R600a	R600a	R600a	R600a
Lock & Key/Castor/Handle	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Basket	Yes	Yes	Yes	Yes	Yes
Voltage, Frequency	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Dimension (MM)	1300 X 700 X 845	960 X 700 X 845	905 X 545 X 845	705 X 545 X 845	545 X 545 X 845
Product/Pack (L X D X H)	1325 X 730 X 885	985 X 730 X 885	930 X 575 X 885	730 X 575 X 885	570 X 575 X 885
Loading/40'HQ	75	105	149	193	248

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.



With Castor



Stucco Embossed
Aluminium Inner

Product Features

- External Condenser • Tropicalized Compressor
- High Energy efficiency Cooling System • Silent Operation
- Fast Cooling Technology • Stucco Embossed Aluminium Inner

- مكثف خارجي • ضاغط استوائي
- نظام تبريد بكفاءة طاقة عالية • تشغيل صامت
- تقنية تبريد سريع • طبقة داخلية من الألمنيوم المزين بالنقوش



Product Range & Specifications

Control Panel & Handle will change as per market

Model	NCF600DD	NCF540N5	NCF340N	NCF260N	NCF150N1
Origin	CHINA	CHINA	CHINA	CHINA	CHINA
Interior/Doors	Aluminium /Foam Double Door	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam
Color	White	White	White	White	White
Condenser	External	External	External	External	External
Refrigerant	R600a	R600a	R600a	R600a	R600a
Lock & Key/Castor/Handle	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Basket	Yes	Yes	Yes	Yes	Yes
Voltage, Frequency	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Dimension (MM) Product/Pack (L X D X H)	1650 X 720 X 925 1705 X 745 X 980	1568 X 746 X 835 1628 X 760 X 885	1098 X 649 X 932 1158 X 660 X 977	926 X 649 X 932 986 X 660 X 977	602 X 564 X 840 660 X 578 X 885
Loading/40'HQ	42	63	95	108	214

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.



Sliding Flat Glass with Foamed Door
NCF442N5EG - NCF262N5EG



Sliding Curve Glass Door
NCF380GL

Product Features

- Low e coated Toughened Glass
- Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation
- Fast Cooling Technology
- Stucco Embossed Aluminium Inner

- زجاج مقسى بتغليف منخفض • ضاغط استوائي
- نظام تبريد بكفاءة عالية
- تشغيل صامت • تقنية تبريد سريع
- طبقة داخلية من الألمنيوم المزين بالنقوش



Product Range & Specifications

Control Panel & Handle will change as per market

Model	NCF442N5EG	NCF342N5EG	NCF262N5EG	NCF380GL
Origin	CHINA	CHINA	CHINA	CHINA
Interior/Doors	Aluminium/Foam+Glass	Aluminium/Foam+Glass	Aluminium/Foam+Glass	Aluminium/Glass
Color	White	White	White	White
Condenser	External	External	External	External
Refrigerant	R600a	R600a	R600a	R600a
Lock & Key/Castor/Handle	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Basket	Yes	Yes	Yes	Yes
Voltage, Frequency	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Dimension (MM)	1300 X 700 X 845	960 X 700 X 845	905 X 545 X 845	1215 X 600 X 910
Product/Pack (L X D X H)	1325 X 730 X 885	985 X 730 X 885	930 X 575 X 885	1270 X 680 X 980
Loading/40'HQ	75	105	149	75

*Product Range & Specification subject to change without prior notice for product improvement & compliance requirements.