

NIKAI®



www.nikai.com

Embrace
Effortless Living!

PRODUCT CATALOGUE

2024-2025

Air Coolers



NAC1048



NAC1048N2

AIR COOLERS

PERSONAL AIR COOLER SERIES

- 15 litre capacity
- 3 in 1 function: Air cooler, humidifier & fan
- Honeycomb cooling media for optimum performance
- Up to 7.5 hours timer
- Oscillating louvers
- Mounted with castors for easy mobility
- Full function remote control
- 4 speeds: high, medium, low and sleep



Remote Control



Up To 7hrs Timer



Silent Operation



4 Speeds

Model	NAC1048	NAC1048N2
Origin	CHINA	CHINA
Tank Capacity/Refill Hours	15 Litre	10 Litre
Water Level Indicator	Yes	Yes
Area Coverage/Air Flow	350m ³ /hr	600m ³ /hr
Pump/Type	Yes/Submersible	Yes/Vacuum Pump Technology
Remote/Speed	Yes/3 High – Med-Low	Yes/3 High – Med-Low
Cooling Media	Honeycomb Cooling Media and Carbon-dust filter	Honeycomb Cooling Media and Carbon-dust filter
Voltage, Frequency, Phase	220-240V, 50/60 Hz, 1 Phase	220-240V, 50/60 Hz, 1 Phase
Dimension (MM) Product/Pack (L X D X H)	391 X 371 X 686 420 X 400 X 715	360 X 275 X 740 410 X 320 X 755
Stuffing/ 40 HC	522	690



NAC80




NAC60

AIR COOLERS

DESERT COOLER SERIES

Model	NAC80	NAC60
Mode of Operation	Manual/Digital	Manual/Digital
Fan Motor	100% Copper Concealed Double Ball Bearing	100% Copper Concealed Double Ball Bearing
Cooling Medium	Honeycomb	Honeycomb
Cools up to	1000 sq.m (1000 sq.ft)	1000 sq.m (1000 sq.ft)
Water Tank Capacity	80 Litres (19.3 gallons)	60Litres (13.7 gallons)
Power Consumption	165 W	165 W
Air Flow	4600 m ³ / hr (1540 CFM)-	4600 m ³ / hr (1540 CFM)-
Auto Fill	Yes	Yes
Water Level Indicator	Yes	Yes
Speed Control	H,M,L	H,M,L
Blower / Fan Blade	40 cm (16 inch)-ALUMINIUM	40 cm (16 inch)-ALUMINIUM
Castor/Trolley	4 Castor wheels With Lock	4 Castor wheels With Lock
Carbon Dust Filter	Yes	Yes
Humidifier	No	No
Ice Chamber	Yes	Yes
Oscillating Louvers	Yes	Yes
Low water alarm	No	No
Inverter Compatibility	Yes	Yes
Colour Availability	Unique Innovative Grey & Cool Grey	Unique Innovative Grey & Cool Grey
Product Dimensions LxWxH (in MM)	715 X 460 X 1150 mm	715 X 450 X 1020
Carton Dimensions (mm)	760 X 520 X 1205 mm	746 X 512 X 1063
Net Weight	19.6kg/43.21lbs	17.8 kg / 39.2 lbs
Gross Weight	22.8kg/50.26lbs	20.9 kg / 46.1 lbs

AIR COOLERS




Model		NACL1	NACL2	NACL3	NACL4							
Parameters		Duet i-s	Duet	Crown M	Crown i	Durango 10i	Durango 13i	Durango 34i	Cloud	Diet 3D 55i+	Diet 3D 40i	Diet 3D 30i
For rooms up to	(m ²)*	-	-	10	10	10	16	51	15	16	15	14
Engg. Plastic (blower/fan)		Blower	Blower	Blower	Blower	Blower	Blower	Fan	Blower	Blower	Blower	Blower
Wattage (W)*	230V/50Hz	45	45	66	66	55	130	168	255	145	145	145
	220V/60Hz	-	-	-	-	-	-	-	-	175	175	175
	110V/60Hz	-	-	-	-	65	110	-	-	170	170	170
Water-tank capacity (up to brim-L)		6	6	10	10	10	13	34	15	55	40	30
Pop-up panel		-	-	-	-	-	-	-	-	✓	✓	✓
3-side pads		-	-	✓	✓	-	-	-	-	✓	✓	✓
i-Pure technology		-	-	-	-	-	-	-	✓	✓	✓	✓
Remote control		-	-	-	✓	✓	✓	✓	✓	✓	✓	✓
Auto louver Movement		-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		-	-	-	✓	✓	✓	✓	✓	✓	✓	✓
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Aspen	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	390	260	290	290	260	390	444	921	450	458	380
	Breadth	390	260	300	300	275	330	330	330	390	390	350
	Height	975	470	460	460	740	890	905	416	1340	1150	950
Carton dimensions (mm)	Length	335	305	325	325	410	420	460	1055	351	351	360
	Breadth	335	305	325	325	320	380	350	385	412	412	338
	Height	566	521	657	457	755	910	1030	475	1315	1125	932
Product weight (kgs)		5.7	4.2	4.9	4.9	5.5	8.3	8.2	10.3	10.3	9.2	8.0
Product weight (incl. pack) (kgs)		7.8	5.8	5.9	5.9	7.0	10.9	11.9	14.6	13.4	11.2	9.5
No. of units per 40ft. HC container			1365	1007	1007	693	416	406	360	370	422	590

AIR COOLERS




Model		NACLR1	NACLR2	NACLR3	NACLR4							
Parameters		Diet 3D 20i	Diet 3D 12i	Sumo 75XL DD	Sumo 115XL	Sumo 75XL	Storm 100i	Storm 70i	Storm 70XL	Touch 110	Touch 80	Touch 55
For rooms up to	(m ²)*	13	12	50	40	37	45	30	37	35	33	30
Engg. Plastic (blower/fan)		Blower	Blower	Fan	Fan	Fan	Fan	Blower	Fan	Blower	Blower	Blower
Wattage (W)*	230V/50Hz	145	145	375	195	190	210	280	200	210	185	185
	220V/60Hz	175	175	380	200	200	250	350	210	210	210	210
	110V/60Hz	170	170	370	190	190	280	365	205	205	205	205
Water-tank capacity (up to brim-L)		20	12	75	115	75	100	70	70	110	80	55
Pop-up panel		✓	✓	-	-	-	-	-	-	-	-	-
3-side pads		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
i-Pure technology		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-
Remote control		✓	✓	-	-	-	✓	✓	-	✓	-	-
Auto louver Movement		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		✓	✓	-	-	-	✓	✓	-	✓	-	-
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Aspen	Aspen	Aspen
Product dimensions (mm)	Length	320	320	707	707	707	635	635	635	763	763	763
	Breadth	300	300	480	480	480	500	500	500	430	430	430
	Height	833	770	1798	1288	1073	1620	1125	1125	1235	1085	970
Carton dimensions (mm)	Length	348	348	730	730	731	600	600	600	810	810	810
	Breadth	338	338	476	480	476	475	475	475	450	450	450
	Height	832	767	1706	1200	1020	1685	1175	1175	1275	1125	1010
Product weight (kgs)		7.5	7.3	26.6	15.4	13.4	17.4	14.5	13.8	21.1	19.5	18.2
Product weight (incl. pack) (kgs)		8.9	8.6	29.1	20.4	16.7	22.2	17.8	17.1	25.3	23.4	21.8
No. of units per 40ft. HC container		665	714	75	150	150	146	188	188	144	158	185

AIR COOLERS



Model		NACLR1	NACLR2	NACLR3	NACLR4			
Parameters		Touch 35	Touch 20	Winter 80XL+	Winter XL+	Winter i+	HiCool i	HiCool 45T
For rooms up to	(m ²)*	18	16	40	37	37	17	17
Engg. Plastic (blower/fan)		Blower	Blower	Fan	Fan	Fan	Blower	Blower
Wattage (W)*	230V/50Hz	185	180	190	185	190	170	170
	220V/60Hz	200	195	200	200	200	195	195
	110V/60Hz	190	185	195	190	195	210	210
Water-tank capacity (up to brim-L)		35	20	80	56	56	31	45
Pop-up panel		-	-	-	-	-	-	-
3-side pads		✓	-	✓	✓	✓	✓	-
i-Pure technology		✓	✓	✓	✓	✓	✓	✓
Remote control		✓	-	-	-	✓		-
Auto louver Movement		✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		✓	-	-	-	✓	✓	-
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	470	470	630	630	630	500	500
	Breadth	350	350	445	445	445	380	380
	Height	813	690	1270	1105	1105	915	1060
Carton dimensions (mm)	Length	552	552	682	682	682	555	555
	Breadth	400	400	502	502	502	430	430
	Height	830	705	1265	1100	1100	885	1030
Product weight (kgs)		9.2	8.13	12.9	12.1	12.1	8.3	8.9
Product weight (incl. pack) (kgs)		11.5	10.13	17.1	15.8	15.8	10.7	11.8
No. of units per 40ft. HC container		380	470	148	148	148	333	266


AIR COOLERS



Model		NACLR1	NACLR2	NACLR3	NACLR4							
Parameters		Diet 50i	Diet 35i	Diet 22i	Diet 12i	Diet 8i	Ice cube 17i	Ice cube 27	Ninja 17i	Ninja 27	HiFlo 27	HiFlo 40
For rooms up to	(m ²)*	16	15	14	12	10	16	16	13	13	16	18
Engg. Plastic (blower/fan)		Blower	Blower	Blower	Blower	Blower	Fan	Fan	Blower	Blower	Blower	Blower
Wattage (W)*	230V/50Hz	165	165	165	95	95	95	95	85	85	150	150
	220V/60Hz	175	185	185	95	95	110	110	110	110	-	-
	110V/60Hz	175	185	185	110	105	105	105	105	105	-	-
Water-tank capacity (up to brim-L)		50	35	22	12	8	17	27	17	27	27	40
Pop-up panel		-	-	-	-	-	-	-	-	-	-	-
3-side pads		✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
i-Pure technology		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Remote control		✓	✓	✓	✓	✓	✓	-	✓	-	-	-
Auto louver Movement		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		✓	✓	✓	-	-	-	-	-	-	-	-
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	430	430	430	300	300	450	450	450	450	450	450
	Breadth	360	360	360	330	330	305	305	287	287	317	317
	Height	1345	1155	943	845	780	701	831	701	831	831	980
Carton dimensions (mm)	Length	363	363	340	340	340	493	493	493	493	493	493
	Breadth	414	414	350	350	350	329	329	329	329	359	359
	Height	1315	1125	932	832	767	710	840	710	840	840	980
Product weight (kgs)		10.5	9.1	8.0	7.7	6.3	6.5	6.6	7.0	8.0	7.7	8.7
Product weight (incl. pack) (kgs)		13.5	11.6	9.4	9.1	7.5	8.5	8.3	9.0	10.0	9.8	10.7
No. of units per 40ft. HC container		360	416	630	665	714	616	504	616	504	468	312

*Product Image, Range & Specification subject to change without prior notice for product improvement & compliance requirements.

AIR COOLERS



Model		NACLR1	NACLR2	NACLR3	NACLR4			
Parameters		Sumo 40XL	Sumo 70XL	Siesta 45XL	Jumbo 45DB	Jumbo 65DB	Jumbo 41	Jumbo 70
For rooms up to	(m ²)*	18	34	30	22	28	20	35
Engg. Plastic (blower/fan)		Fan	Fan	Fan	Blower	Blower	Fan	Fan
Wattage (W)*	230V/50Hz	95	150	150	225	235	110	155
	220V/60Hz	110	180	180	280	280	110	-
	110V/60Hz	105	195	195	280	280	120	210
Water-tank capacity (up to brim-L)		40	70	45	41	61	41	70
Pop-up panel		-	-	-	-	-	-	-
3-side pads		✓	✓	✓	✓	✓	✓	✓
i-Pure technology		✓	✓	-	-	-	-	-
Remote control		-	-	-	-	-	-	-
Auto louver Movement		✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		-	-	-	-	-	-	-
Cooling media		Honeycomb	Honeycomb	Honeycomb	Aspen	Aspen	Aspen	Aspen
Product dimensions (mm)	Length	450	618	618	539	684	520	655
	Breadth	305	505	505	446	660	446	634
	Height	980	1115	1025	721	808	714	838
Carton dimensions (mm)	Length	493	675	675	570	726	570	707
	Breadth	329	532	532	468	683	468	667
	Height	980	1110	1020	761	845	755	887
Product weight (kgs)		7.8	12.1	11.5	11.48	15.48	8.9	13.5
Product weight (incl. pack) (kgs)		9.8	16.6	15.0	13.94	19.83	10.3	17.45
No. of units per 40ft. HC container		312	150	150	315	153	315	153

AIR COOLERS



Model		NACLR1	NACLR2	NACLR3	NACLR4				NACLR100
Parameters		Jumbo 45i	Movicool DD 125	Movicool L200i	Movicool L125	Movicool L65i-S	Movicool XL 200i	Movicool XL 200-G	Movicool XL 100-G
For rooms up to	(m ²)*	23	-	-	-	-	-	-	-
Engg. Plastic (blower/fan)		Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan
Wattage (W)*	230V/50Hz	110	217 x 2	245	240	245	575	575	575
	220V/60Hz	110	-	-	-	-	-	-	-
	110V/60Hz	120	-	-	-	-	-	-	-
Water-tank capacity (up to brim-L)		41	125	200	125	65	200	200	100
Pop-up panel		-	-	-	-	-	-	-	-
3-side pads		✓	✓	✓	✓	✓	✓	✓	✓
i-Pure technology		✓	-	-	-	-	-	-	-
Remote control		-	-	✓	-	✓	✓	-	-
Auto louver Movement		✓	✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		-	-	-	-	-	-	-	-
Cooling media		Aspen	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	539	870	870	870	870	1125	1125	1125
	Breadth	446	440	440	440	440	725	725	725
	Height	721	2100	1700	1400	985	1790	1790	1560
Carton dimensions (mm)	Length	570	900	900	900	900	1145	1145	1145
	Breadth	468	470	470	470	470	745	745	745
	Height	761	1950	1555	1275	1075	1710	1710	1510
Product weight (kgs)		8.4	40.4	29.1	24.45	18.2	52.65	48.4	46.3
Product weight (incl. pack) (kgs)		10.7	42.8	30.4	26.95	22.4	59.15	52.35	51.3
No. of units per 40ft. HC container		315	63	63	116	152	32	32	32

NIKAI®

Showroom: Tel: +971 4 3368090 | Fax: +971 4 3368091 | Service Centre: +971 4 8850055
Toll Free: 800-NIKAI (800-64524) | Email: customercare@nikai.com | Website: www.nikai.com
Email: customercare@nikai.com | www.facebook.com/NikaiGroup

For Wholesale Enquiries: Tel: +971 4 2561386 | Email: Wssupport@nikai.com
Service Contact No: +971 56 4180125 | Email: Wsservice@nikai.com