

NIKAI®



Embrace
Effortless Living!

PRODUCT CATALOGUE

2024-2025

www.nikai.com



Chest Freezers



DOUBLE DOOR



SINGLE DOOR

FREEZERS - CHEST FREEZERS

PREMIUM QINGDAO SERIES
INTERNAL CONDENSER

- Internal Condenser
- Tropicalized Compressor
- High Energy efficiency
- Silent Operation
- Fast Cooling Technology
- White Aluminium Inner For Easy Cleaning



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NCF700N7DDS | NCF540N7S | NCF440N7S | NCF340N7S | NCF300N7S | NCF260N7S | NCF200N7S | NCF150N7S |
|---|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA |
| Door/Number | Foam/Double | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single |
| Color Body/Inside | Silver/White Painted Aluminum | | | | | | | |
| Condenser | Inside | Inside | Inside | Inside | Inside | Inside | Inside | Inside |
| Refrigerant | R600a/R134a | R600a/R134a | R600a | R600a | R600a | R600a | R600a | R600a |
| Lock & Key/ Castor | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes |
| Basket/Type | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating |
| Voltage, Frequency, Phase | 220-240V/50Hz | | | | | | | |
| Compressor Fan | Yes | Yes | Optional | Optional | Optional | Optional | No | No |
| Dimension (MM) Product/Pack (L X D X H) | 1855 X 749 X 850 1930 X 785 X 880 | 1650 X 760 X 850 1695 X 760 X 889 | 1350 X 720 X 830 1395 X 760 X 882 | 1100 X 640 X 850 1150 X 685 X 880 | 1050 X 560 X 850 1100 X 600 X 880 | 960 X 560 X 850 1010 X 580 X 880 | 680 X 560 X 850 715 X 580 X 880 | 566 X 560 X 850 590 X 580 X 880 |
| Stuffing/ 40 HC | 53 | 62 | 74 | 102 | 126 | 138 | 192 | 238 |



NCF440N6 - NCF340N5



NCF260N5 - NCF150N7

FREEZERS - CHEST FREEZERS

QINGDAO EXPORT SERIES
EXTERNAL CONDENSER

- External Condenser
- Tropicalized Compressor
- High Energy efficiency
- Silent Operation
- Fast Cooling Technology
- Emboss Aluminum Inner Cooling System



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NCF702DD24E | NCF542N24E | NCF442N24E | NCF402N24E | NCF322N24E | NCF262N24E | NCF202N24E | NCF152N24E | NCF150N7/N7E |
|---------------------------|-----------------------|------------------|------------------|------------------|------------------|------------------|-----------------|-----------------|-------------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA |
| Door/Number | Foam/Double | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single |
| Color Body/Inside | White/Emboss Aluminum | | | | | | | | |
| Condenser | External | External | External | External | External | External | External | External | Internal/External |
| Refrigerant | R600a/R134a | R600a/R134a | R600a | R600a | R600a | R600a | R600a | R600a | R600a |
| Lock & Key/Castor | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes |
| Basket/Type | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating |
| Voltage, Frequency, Phase | 220-240V/50Hz | | | | | | | | |
| Compressor Fan | Yes | Yes | Optional | Optional | Optional | Optional | No | No | No |
| Dimension (MM) | 1855 X 749 X 850 | 1650 X 760 X 850 | 1350 X 720 X 830 | 1100 X 640 X 850 | 1050 X 560 X 850 | 960 X 560 X 850 | 680 X 560 X 850 | 566 X 560 X 850 | 535 X 515 X 820 |
| Product/Pack (L X D X H) | 1930 X 785 X 880 | 1695 X 760 X 889 | 1395 X 760 X 882 | 1150 X 685 X 880 | 1100 X 600 X 880 | 1010 X 580 X 880 | 715 X 580 X 880 | 590 X 580 X 880 | 575 X 540 X 880 |
| Stuffing/ 40 HC | 53 | 62 | 74 | 102 | 126 | 138 | 192 | 238 | 262 |



Double Door



Single Door

FREEZERS - CHEST FREEZERS

PREMIUM SHANGHAI SERIES
EXTERNAL CONDENSER

- External Condenser
- Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation
- Fast Cooling Technology
- Stucco Embossed Aluminum Inner



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NCF542N23E | NCF442N23E | NCF402N23E | NCF322N23E | NCF262N23E | NCF202N23E | NCF152N23E |
|---------------------------|-----------------------|------------------|------------------|------------------|-----------------|-----------------|-----------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA |
| Door/Number | Foam/Double | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single |
| Color Body/Inside | White/Stucco Aluminum | | | | | | |
| Condenser | External | External | External | External | External | External | External |
| Refrigerant | R290/R134a | R290/R134a | R600a | R600a | R600a | R600a | R600a |
| Lock & Key/Castor | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes |
| Basket/Type | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating |
| Voltage, Frequency, Phase | 220-240V/50Hz | | | | | | |
| Compressor Fan | Yes | Optional | Optional | Optional | Optional | No | No |
| Dimension (MM) | 1630 X 700 X 846 | 1318 X 700 X 846 | 1120 X 600 X 846 | 1035 X 565 X 846 | 946 X 520 X 846 | 750 X 520 X 846 | 535 X 520 X 846 |
| Product/Pack (L X D X H) | 1665 X 765 X 890 | 1360 X 765 X 885 | 1160 X 660 X 885 | 1075 X 625 X 885 | 986 X 580 X 885 | 790 X 580 X 885 | 575 X 585 X 885 |
| Stuffing/40'HQ | 63 | 74 | 106 | 120 | 142 | 178 | 240 |



Double Door



Single Door

FREEZERS - CHEST FREEZERS

SMART NINGBO SERIES
EXTERNAL CONDENSER

- External Condenser
- Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation
- Fast Cooling Technology
- Stucco Embossed Aluminum Inner



Lock and Key



Fast Cooling



With Castor





CFC Free



R600a Refrigerant

| Model | NCF702DD9E | NCF542N9E | NCF442N9E | NCF402N9E | NCF322N9E | NCF262N9E | NCF202N9E | NCF152N9E |
|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA |
| Door/Number | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single | Foam/Single |
| Color Body/Inside | White/Stucco Aluminum | | | | | | | |
| Condenser | External | External | External | External | External | External | External | External |
| Refrigerant | R600a | R600a | R600a | R600a | R600a | R600a | R600a | R600a |
| Lock & Key/Castor | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes |
| Basket/Type | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 2/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating | 1/Metal Coating |
| Voltage, Frequency, Phase | 220-240V/50Hz | | | | | | | |
| Compressor Fan | Yes | Yes | No | No | No | No | No | No |
| Dimension (MM) Product/Pack (L X D X H) | 1680 X 705 X 845 1930 X 755 X 880 | 1350 X 705 X 845 1380 X 745 X 880 | 1266 X 635 X 845 1310 X 705 X 880 | 1113 X 635 X 845 1143 X 675 X 880 | 950 X 635 X 845 980 X 665 X 880 | 872 X 555 X 845 902 X 585 X 880 | 750 X 555 X 845 780 X 585 X 880 | 570 X 555 X 845 600 X 585 X 880 |
| Stuffing/40'HQ | 59 | 73 | 80 | 106 | 124 | 156 | 182 | 248 |



FREEZERS - CHEST FREEZERS

EXTERNAL CONDENSER
NANSHA SERIES

- External Condenser
- Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation
- Fast Cooling Technology
- Stucco Embossed Aluminum Inner



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NCF702DD5E | NCF542N5E | NCF442N5E | NCF402N5E | NCF262N5E | NCF202N5E | NCF152N5E |
|---|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA |
| Interior/Doors | Aluminium/ Foam | Aluminium/ Foam | Aluminium/ Foam | Aluminium/ Foam | Aluminium/ Foam | Aluminium/ Foam | Aluminium/ Foam |
| Color | White/Stucco Aluminum | | | | | | |
| Condenser | External | External | External | External | External | External | External |
| Refrigerant | R290 | R290 | R600a | R600a | R600a | R600a | R600a |
| Lock & Key/ Castor/Handle | | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes |
| Basket | 3 | 2 | 2 | 1 | 1 | 1 | 1 |
| Voltage, Frequency | 220-240V/50Hz | | | | | | |
| Dimension (MM) Product/Pack (L X D X H) | 1855 X 749 X 850 1930 X 785 X 880 | 1650 X 720 X 830 1695 X 760 X 882 | 1300 X 700 X 845 1325 X 730 X 885 | 960 X 700 X 845 985 X 730 X 885 | 905 X 545 X 845 930 X 575 X 885 | 705 X 545 X 845 730 X 575 X 885 | 545 X 545 X 845 570 X 575 X 885 |
| Stuffing/ 40 HC | 45 | 62 | 75 | 105 | 149 | 193 | 248 |



Sliding Flat Glass with Foamed Door
NCF442N5EG - NCF262N5EG



Sliding Curve Glass Door
NCF400GL1

FREEZERS - CHEST FREEZERS

GLASS DOOR SERIES

- Low e coated Toughened Glass
- Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation
- Fast Cooling Technology
- Stucco Embossed Aluminum Inner



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NCF442N5EG | NCF342N5EG | NCF262N5EG | NCF400GL1 |
|--|--------------------------------------|------------------------------------|------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA |
| Interior/Doors | Aluminium/ Foam+Glass | Aluminium/ Foam+Glass | Aluminium/ Foam+Glass | Aluminium/Glass |
| Color | White | White | White | White |
| Condenser | External | External | External | External |
| Refrigerant | R600a | R600a | R600a | R600a/R134a |
| Lock & Key/Castor/Handle | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes |
| Basket | Yes | Yes | Yes | Yes |
| Voltage, Frequency | 220-240V/50Hz | 220-240V/50Hz | 220-240V/50Hz | 220-240V/50Hz |
| Dimension (MM) Product/Pack (L X D X H) | 1300 X 700 X 845 1325 X 730 X 885 | 960 X 700 X 845 985 X 730 X 885 | 905 X 545 X 845 930 X 575 X 885 | 1225 X 650 X 830 1285 X 735 X 860 |
| Stuffing/ 40 HC | 75 | 105 | 149 | 78 |



NUF400FFS



NUF400FFS

FREEZERS - UPRIGHT FREEZERS

FROST FREE SERIES

- Vertical handle
- Reversible door
- Inside condenser
- Energy saving & low noise
- Adjustable front legs
- Knock down door gasket
- Full range temperature control
- Sturdy slide out shelves
- Transparent drawers



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NUF400FFS | NUF400FFW |
|--|--------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA |
| Door/Number/Type | Foam/1/No Frost | Foam/1/No Frost |
| Color/Finish | Silver/VCM | White/VCM |
| Condenser | Internal | Internal |
| Refrigerant | R600a | R600a |
| Lock & Key | Yes/Yes | Yes/Yes |
| Drawers/Display Shelf | 4/3 | 4/3 |
| Voltage, Frequency, Phase | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph |
| Dimension (MM) Product/Pack (L X D X H) | 590 X 610 X 1742 630 X 640 X 1840 | 590 X 610 X 1742 630 X 640 X 1840 |
| Stuffing/ 40 HC | 76 | 76 |



FREEZERS - UPRIGHT FREEZERS

DEFROST SERIES

- Vertical handle
- Reversible door
- Inside condenser
- Energy saving & low noise
- Adjustable front legs
- Knock down door gasket
- Full range temperature control
- Sturdy slide out shelves
- Transparent drawers



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NUF350N2W | NUF356W | NUF250N2W | NUF256W |
|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA |
| Door/Number/Type | Foam/1/Defrost | Foam/1/Defrost | Foam/1/Defrost | Foam/1/Defrost |
| Color/Finish | White/PCM | White/PCM | White/PCM | White/PCM |
| Condenser | Internal | Internal | Internal | Internal |
| Refrigerant | R600a | R600a | R600a | R600a |
| Lock & Key/Handle | Yes/External | Yes/External | Yes/External | Yes/External |
| Drawers/Display | 7/Adjustable | 7/Adjustable | 6/Adjustable | 6/Adjustable |
| Voltage, Frequency, Phase | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph |
| Dimension (MM) Product/Pack (L X D X H) | 596 X 595 X 1744 630 X 620 X 1783 | 600 X 590 X 1720 635 X 625 X 1765 | 550 X 575 X 1395 570 X 600 X 1455 | 548 X 560 X 1410 580 X 590 X 1435 |
| Stuffing/ 40 HC | 77 | 76 | 142 | 142 |



CHILLERS - SHOWCASE CHILLER

NO FROST SERIES

- Inside condenser
- With fan
- With vertical light
- Adjustable wire shelves
- With lock & universal castor
- Caster wheels
- Sliding Doors
- Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas
- With digital indicator



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant



R290a Refrigerant

| Model | NSF1200FFH | NSF900FFH | NSF700FFH | NSF450FFP | NSF400FFP |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA |
| Door/Number/Type | 2/Glass/Sliding/ (Swing optional) | 2/Glass/Sliding/ (Swing optional) | 2/Glass/Sliding/ (Swing optional) | 1/Glass/Swing | 1/Glass/Swing |
| Body Color/Door Color | Black Door | White/Black Door | Black Door | Black Door | Black Door |
| Condenser | Internal | Internal | Internal | Internal | Internal |
| Refrigerant | R290 | R600a | R290 | R290 | R290 |
| Lock & Key/Castor | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes |
| Shelf/Type | 10/Adjustable | 5/Adjustable | 10/Adjustable | 5/Adjustable | 5/Adjustable |
| Voltage, Frequency, Phase | 240V, 50Hz, 1/2Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1/3+Ph | 240V, 50Hz, 1/4Ph | 240V, 50Hz, 1/4Ph |
| Dimension (MM) Product/Pack (L X D X H) | 1200 X 730 X 2036 1255 X 770 X 2136 | 900 X 725 X 2036 955 X 775 X 2136 | 900 X 630 X 1856 955 X 675 X 1956 | 620 X 635 X 1935 685 X 665 X 1994 | 620 X 635 X 1765 685 X 665 X 1824 |
| Stuffing/ 40 HC | 27 | 36 | 41 | 71 | 73 |

BLACK
EDITION



CHILLERS - SHOWCASE CHILLER

NOFROST SERIES - BLACK EDITION

- Inside condenser
- With fan
- With vertical light
- Adjustable wire shelves
- With lock & universal castor
- Caster wheels
- Sliding Doors
- Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas
- With digital indicator



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NSF1200FFHB | NSF900FFHB | NSF700FFHB | NSF450FFPB | NSF400FFPB |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA |
| Door/Number/Type | 2/Glass/Sliding/ (Swing optional) | 2/Glass/Sliding/ (Swing optional) | 2/Glass/Sliding/ (Swing optional) | 1/Glass/Swing | 1/Glass/Swing |
| Body Color/Door Color | Black Door | White/Black Door | Black Door | Black Door | Black Door |
| Condenser | Internal | Internal | Internal | Internal | Internal |
| Refrigerant | R290 | R600a | R290 | R290 | R290 |
| Lock & Key/Castor | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes |
| Shelf/Type | 10/Adjustable | 5/Adjustable | 10/Adjustable | 5/Adjustable | 5/Adjustable |
| Voltage, Frequency, Phase | 240V, 50Hz, 1/2Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1/3+Ph | 240V, 50Hz, 1/4Ph | 240V, 50Hz, 1/4Ph |
| Dimension (MM) Product/Pack (L X D X H) | 1200 X 730 X 2036 1255 X 770 X 2136 | 900 X 725 X 2036 955 X 775 X 2136 | 900 X 630 X 1856 955 X 675 X 1956 | 620 X 635 X 1935 685 X 665 X 1994 | 620 X 635 X 1765 685 X 665 X 1824 |
| Stuffing/ 40 HC | 27 | 36 | 41 | 71 | 73 |



CHILLERS - SHOWCASE CHILLER

DEFROST-QINGDAO SERIES

- Inside/Outside condenser
- With fan
- With vertical light
- Adjustable wire shelves
- With lock & universal castor
- Caster wheels
- Swing Doors
- Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas
- With digital indicator



Lock and Key



Fast Cooling



With Castor



CFC Free



R600a Refrigerant

| Model | NSF1200DH | NSF700DH | NSF425FHP | NSF200DHP |
|--|--|---------------------------------------|--------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA |
| Door/Number/Type | 2/Glass/Swing Door | 2/Glass/Swing Door | 1/Glass/Swing Door | 1/Glass/Swing Door |
| Body Color/Door Color | White/Metallic Chrome Door | White/Metallic Chrome Door | White/Metallic Chrome Door | Black Frame Double Layer Glass Door |
| Condenser | Internal | Internal | Outside | Outside |
| Refrigerant | R600a/R134a | R600a/R134a | R600a | R600a |
| Lock & Key/Castor | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes |
| Shelf/Type | 5/Adjustable | 4/Adjustable | 3/Adjustable | 3/Adjustable |
| Voltage, Frequency, Phase | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 220-240V/50Hz | 220-240V/50Hz |
| Dimension (MM) Product/Pack (L X D X H) | 1220 X 575 X 1995 1280 X 640 X 2025 | 950 X 575 X 1920 1010 X 640 X 1950 | 580 X 573 X 1930 630 X 580 X 1980 | 540 X 570 X 1360 580 X 620 X 1400 |
| Stuffing/ 40 HC | 27 | 41 | 92 | 204 |



CHILLERS - SHOWCASE CHILLER

LEGEND SERIES

- Inside condenser
- With fan
- With vertical light
- Adjustable wire shelves
- With lock & universal castor
- Caster wheels
- Sliding Doors
- Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas
- With digital indicator



Lock and Key



Fast Cooling



With Castor



CFC Free








R600a Refrigerant

| Model | NSF1250SD | NSF1100SD | NSF650SD | NSF400 | NSF350 | NSF300 |
|---|--|--|--|--------------------------------------|--------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA | CHINA | CHINA |
| Door/Number/Type | 2/Glass/Sliding/ (Swing optional) | 2/Glass/Sliding/ (Swing optional) | 2/Glass/Sliding | 1/Glass/Swing | 1/Glass/Swing | 1/Glass/Swing |
| Body Color/Door Color | White/Black Door | White/Black Door | White/Black Door | White/Black Door | White/Black Door | White/Black Door |
| Condenser | Internal | Internal | Internal | Outside | Outside | Outside |
| Refrigerant | R600a | R600a | R600a | R600a/R134a | R600a/R134a | R600a/R134a |
| Lock & Key/Castor | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes | Yes/Yes/Yes |
| Shelf/Type | 5/Adjustable | 5/Adjustable | 4/Adjustable | 4 | 4 | 3 |
| Voltage, Frequency, Phase | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph |
| Dimension (MM) Product/Pack (L X D X H) | 1520 X 620 X 2010 1565 X 655 X 2050 | 1200 X 620 X 2010 1250 X 665 X 2050 | 1000 X 620 X 2010 1050 X 665 X 2050 | 595 X 625 X 1965 620 X 655 X 2020 | 555 X 545 X 1930 580 X 590 X 2000 | 555 X 595 X 1800 580 X 620 X 1875 |
| Stuffing/ 40 HC | 25 | 28 | 36 | 72 | 101 | 104 |



CHILLERS - SHOWCASE CHILLER
DEFROST - SHANGHAI SERIES

- Inside condenser
- With fan
- With vertical light
- Adjustable wire shelves
- With lock & universal castor
- Caster wheels
- Sliding Doors
- Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas
- With digital indicator

-  Lock and Key
-  Fast Cooling
-  With Castor
-  CFC Free
-  R600a Refrigerant

| Model | NSF1100DD22 | NSF700DD22 | NSF410 | NSF360 |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|
| Origin | CHINA | CHINA | CHINA | CHINA |
| Door/Number/Type | 2/Glass/Swing | 2/Glass/Swing | 1/Swing | 1/Swing |
| Body Color/Door Color | White/Black Door | White/Black Door | White/Black Door | White/Black Door |
| Condenser | Internal/External | Internal/External | Internal/External | Internal/External |
| Refrigerant | R134a/R600a | R134a/R600a | R600a | R600a |
| Lock & Key/Castor | Yes/Yes | Yes/Yes | Yes/Yes | Yes/Yes |
| Shelf/Type | 4/Adjustable | 4/Adjustable | 4/Adjustable | 4/Adjustable |
| Voltage, Frequency, Phase | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph | 240V, 50Hz, 1 Ph |
| Dimension (MM) Product/Pack (L X D X H) | 1120 X 590 X 1915 1160 X 660 X 2000 | 940 X 540 X 1930 990 X 590 X 2030 | 600 X 630 X 1952 660 X 680 X 2000 | 600 X 525 X 1882 660 X 575 X 1930 |
| Stuffing/ 40 HC | 36 | 43 | 74 | 96 |



NIKAI®

Showroom: Tel: +971 4 3368090 | Fax: +971 4 3368091 | Service Centre: +971 4 8850055
Toll Free: 800-NIKAI (800-64524) | Email: customercare@nikai.com | Website: www.nikai.com
Email: customercare@nikai.com | www.facebook.com/NikaiGroup

For Wholesale Enquiries: Tel: +971 4 2561386 | Email: Wssupport@nikai.com
Service Contact No: +971 56 4180125 | Email: Wsservice@nikai.com